

Clifton Cameras Product Specification

Canon EF 600mm f4L IS III Lens

Optical Features/Specifications

Filter diameter (mm)

52 Drop in

Max. diameter x length (mm)

168 x 448

Weight (g)

3050

Image Size

Full Frame

35mm film equivalent focal length (mm)

-

Angle of view (horzntl, vertl, diagnl)

3°30', 2°20', 4°10'

Lens construction (elements/groups)

17/13

No. of diaphragm blades

9

Minimum aperture

32

Closest focussing distance (m)

4.2

Maximum magnification (x)

0.15

Distance Information

Yes

Image stabilizer

5-stops

AF actuator

Ring USM¹

Accessories

Lens cap

E-185C

Lens hood

ET-160 (W III)

Lens case/pouch

Lens Soft Case LS600

Maximum number of Hood III compatible with Gelatin Filter Holder III

NC²

Maximum number of Hood IV compatible with Gelatin Filter Holder IV

NC³

Rear End Cap

Lens Dust Cap E

Magnification with Extension Tube EF12 II

0.18-0.02

Magnification with Extension Tube EF25 II

0.21-0.05

Extender Compatibility

Compatible (Mark III only)

Other Accessories

Canon drop-in 52mm filters

Canon Drop-In Circular Polarizing Filter 52 (W III)

Canon Lens Short Hood ET-160B

Lens Case 600C

Specifications with EF 1.4x III

Focal Length

840

Minimum aperture

5.6-45

Maximum Magnification

0.21

AF Possible

Yes

IS

Yes

Specifications with EF 2x III

Focal Length

1200



Maximum Aperture

8-64

Maximum Magnification

0.31

AF Possible

Yes⁴

IS

Yes⁵