



Clifton Cameras Product Specification

Benro Cyanbird Carbon Tripod with FS20PRO Head Full Spec

Weight (kg):

1.02

Back Tilt Range:

90

Ball Diameter (mm):

20

Base Mount Diameter (mm):

35

Base Mount Thread:

3/8

Bubble Level:

Y

Closed Length (cm):

43.5

Converts to Monopod:

N

Counterbalance:

Fixed

Foot Size (mm):

28.7*24.5*19.37

Foot Type:

fixed



Forward Tilt Range:

90

Head Mount:

3/8

Head Type:

Photo Video head

Leg Diameter 1 (mm):

34.5*19.5

Leg Diameter 2 (mm):

31.9*16.9

Leg Diameter 3 (mm):

29.3*14.3

Leg Diameter 4 (mm):

26.7*11.7

Leg Diameter 5 (mm):

24.1*9.1

Leg Sections:

5

Leg Lock Type:

Flip lock

Leg Type:

Flat

Maximum Height (cm):

152.5

Maximum Height w/Column Extended (cm):

152.5



Maximum Height w/Column Retracted (cm):

129

Maximum Payload Capacity (kg):

4.5

Minimum Height (cm):

18.2

Pan Drag:

Fixed

Pan Lock:

Y

Panning Range:

360

QR Plate - Length (cm):

5

QR Plate - Width (cm):

3.8

Quick Release Camera Thread Size:

1/4

Quick Release Type:

Arca

Separate Panning Lock:

Y

Series:

1

Tilt Drag:

Fixed



Tilt Lock:

Y

Top Plate Diameter (mm):

32