



Clifton Cameras Product Specification

Canon RF-S 3.9mm f3.5 VR Fisheye Lens Full Spec

Optical Features / Specifications

- Image Size

APS-C

- Angle of View (Horizontal, vertical, diagonal)

144°, 144°, 144°

- Lens Construction (Elements/Groups)

11/8

- Special Optics

2 x UD

- Special Features

Dual Fisheye with Baseline length of 60mm

- Number of Diaphragm Blades

7

- Minimum Aperture

16

- Closest Focusing Distance (m)

0.2

- Maximum Magnification (x)

0.03

- Control Ring

combined / focus

- Image Stabilizer OIS¹

-

- Image Stabilizer IBIS x OIS²

-

- AF Actuator

STM

- Coatings

ASC

- Fluorine

No

Accessories

- Lens Cap

Lens Cap 3.9 (center pich type)

- Lens Hood

-

- Lens Case/Pouch

LS1014

- Rear End Cap

Lens Dust Cap RF

- Extender Compatibility

Not Compatible

- Other Accessories

-

Physical Specifications

- Dust/Moisture Resistance

No

- Exterior Coating

- Filter Diameter (mm)

30.5

Rear-mounted gelatin filter (27.3 x 27.3mm)

- Max. Diameter x Length (mm)³

(112.1 x 83.7) x 54.6⁴

- Weight (g)

290