

## **Clifton Cameras Product Specification**

## **GoPro Hero12 Black Full Spec**

| Dimensions (W x H x D) (mm)  |
|--|
| 71.8 W x 50.8 H x 33.6 D (mm)  |
| Weight   |
| 154g (Camera w/mounting fingers + Battery)121g (Without Battery)           |
| Battery  |
| Removable 1720mAh Enduro Battery   |
| Displays   |
| Rear: 2.27" Touch Display Front: 1.4" Color Display                        |
| Rugged + Waterproof  |
| 10m (33ft) without Protective Housing. 60m(196ft) with Protective Housing. |
| Mounting   |
| Built-In Mounting with Folding Fingers¼-20 Mount                           |
| Removable Water-repelling Cover Glass                                      |
| Yes  |
| Memory Storage microSD   |
| 1 microSD™ with at least V30 or higher UHS-3 rating                        |
| Connector  |
| USB-C  |
| HDMI Port  |
| Media Mod (H9B/H10B/H11B/H12B)   |
| Operating Temperature  |
| -10° C - 35° C   |



**System Processor** 

H.265 (HEVC)

## GP2 Image Sensor 1/1.9" CMOS27.6 MP active pixels(5599x4927) **Lens Aperture** F2.5 FOV 156° in 8:7 aspect ratio 35mm Equivalent Focal Length Min = 12mmMax = 39mm Video Resolutions & Frame Rates 5.3K (8:7) 30/25/24 fps5.3K (16:9) 60/50/30/25/24 fps4K (8:7) 60/50/30/25/24 fps4K (9:16) 60/50/30/254K (16:9) 120/100/60/50/30/25/24 fps2.7K (4:3) 120/100/60/50 fps2.7K (16:9) 240/200 fps1080 (9:16) 60/50/30/251080p (16:9) 240/200/120/100/60/50/30/25/24 fps Video Stabilization HyperSmooth 6.0 **Aspect Ratio** 16:9 9:16 4:3 8:7 **HDR Video** 5.3K (16:9) 30/25/24 fps4K (8:7) 30/25/24 fps4K (16:9) 60/50/30/25/24 fps **Digital Lenses** HyperViewSuperViewWideLinearLinear + Horizon Lock / Leveling 360 Horizon Lock & Horizon Leveling Lock: Linear + Horizon Lock LensLeveling: In-Camera (23-27\*) for 5.3K60; 4K120; 2.7K240; 1080p240Can apply in post using Quik App **Video Compression Standard**



Color Video Bit Depth

| 8-bit10-bit (4K and higher)                   |
|---|
| Maximum Video Bit Rate                        |
| 120Mbps                                       |
| Zoom (Video)                                  |
| Up to 2x                                      |
| Slo-Mo  |
| 8x - 2.7K; 1080p4x - 4K2x - 5.3K              |
| Looping Video                                 |
| Yes   |
| HindSight                                     |
| Yes   |
| Scheduled Capture                             |
| Yes   |
| Duration Capture                              |
| Yes   |
| Live Streaming                                |
| 1080p60 w/HyperSmooth 4.0 + 1080p60 recording |
| Webcam Mode                                   |
| up to 1080p30                                 |
| Timecode Synchronization                      |
| Yes   |
| Exposure Control                              |
| Yes   |
| Exposure Value (EV Comp)                      |
| 2+/-  |



## **Photo Modes** Standard PhotoBurst PhotoNight Photo **Max Photo Resolution** 27.13MP (5568x4872) **Photo Frame-Grabs from Video** 24.69MP from (8:7) 5.3K Video21.16MP from (4:3) 5.3K Video15.87MP from (16:9) 5.3K Video **Photo Output** SuperPhoto, HDR, Standard, RAW **Photo Formats** .jpg.gpr (RAW) **RAW Photo Capture** 27.13MP (5568x4872) Digital Lenses (single photo) WideLinear **PowerPano Photo Timer** 3s, 10s **Photo Intervals** 0.5s, 1s, 2s, 3s, 5s, 10s, 30s, 60s, 120s **Exposure Control** Yes **Burst Photo Rates (Frames / Second)** Auto, 60/10, 60/6, 30/6, 30/3, 10/3, 30/1, 10/1, 5/1, 3/1

Auto, 2, 5, 10, 15, 20, 30 sec.

**Night Photo Shutter Speed** 



Includes TimeWarp, Star Trails, Light Painting and more.

TimeWarp Video

| TimeWarp 3.0 (up to 5.3K)                              |  |
|--|--|
| TimeWarp Video Speeds                                  |  |
| Auto, 2x, 5x, 10x, 15x, 30x                            |  |
| Star Trails  |  |
| Yes  |  |
| Light Painting   |  |
| Yes  |  |
| Vehicle Light Trails                                   |  |
| Yes  |  |
| Time Lapse Video Aspect Ratio                          |  |
| 16:98:7  |  |
| Time Lapse Video Resolution                            |  |
| Up to 5.3K   |  |
| Time Lapse Intervals (Video & Photo)                   |  |
| 0.5, 1, 2, 3, 5, 10, 30, 60 sec.; 2, 5, 30, 60 min.    |  |
| Night Lapse Video Aspect Ratio                         |  |
| 16:98:7  |  |
| Night Lapse Video Resolution                           |  |
| Up to 5.3K   |  |
| Night Lapse Intervals (Video & Photo)                  |  |
| Auto, 4, 5, 10, 15, 20, 30, 60 sec.; 2, 5, 30, 60 min. |  |
| Night Lapse Shutter Speeds (Video & Photo)             |  |
| Auto, 2, 5, 10, 15, 20, 30 sec.                        |  |



3-mics | 3.5mm Audio Mic Input with Media Mod for HERO12 Black or Pro 3.5 Mic Adapter (Sold Separately) | RAW Audio Capture (.wav Format) | Wireless Audio

Microphones

| 3-mics  |
|---|
| Stereo Audio  |
| Yes   |
| Advanced Noise Reduction  |
| 3-mic Processing  |
| RAW Audio Capture   |
| WAV Format  |
| 3.5 Audio Mic Input   |
| Media Mod (H9B/H10B/H11B)Pro 3.5mm Mic Adapter  |
| Wireless Audio  |
| Support Airpods and other bluetooth headsets  |
| Uploads Automatically to the Cloud + Get a Highlight Video Automatically with GoPro Subscription I Wi-Fi + Bluetooth® |
| Wi-Fi Frequency   |
| 2.4GHZ; 5GHz  |
| Wi-Fi Protocol  |
| 802.11 a/b/g/n/ac   |
| Bluetooth   |
| BLE 4.2   |
| USB Port  |
| USB-C   |
| Mobile App Connection   |
| Quik App  |
| Auto Upload to Cloud  |



w/GoPro Subscription **Protune** Yes **Presets / Custom Presets** Yes Languages (Camera UI) 12 Languages Languages Available (Camera UI) EN, FR, DE, IT, SP, CN-S, CN-T, JP, KR, PT, RU, SW **Voice Control** 14 Commands11 Languages with 6 accents **Advanced Metadata** Yes **Eco-system Support** Quik App GoPro Labs Open GoPro **Mod Compatibility** Media Mod (H9B/H10B/H11B)Max Lens Mod & Max Lens Mod 2.0 Max Lens Mod 2.0, Volta, Media Mod, The Remote, and over 40 other accessories Max Lens Mod 2.0 Widest FOV 177° in Max HyperViewResolution up to 4K/60Max HyperSmooth Remote Control The RemoteWaterproof Shutter RemoteVoltaQuik App **Compatible Housing / Accessories** 

Protective Housing (H9B/H10B/H11B/H12B)